


7 Oct 68

According to [REDACTED] O/Security -
SSU - wants to do some late reviewing and will
advise when they believe BD should go out. At
that time they will probably want to make changes
in view of intervening events.


25X1A9a

The attached final draft was sent O/S
but was not signed by CND.

25X1A9a



25X1A9a



11 Jun 69

MEMORANDUM FOR THE RECORD

The attached Book Dispatch No. 6127 is not to be processed according to [REDACTED] Office of Security, who informed me today that Security has taken other means to get this information to the field. They have written separate dispatches to their regional field staffs on this subject and have briefed Security people who have gone to the field on the Security position on this subject.

25X1A9a

I notified [REDACTED] today of the above.

25X1A9a

25X1A9a
[REDACTED]

SSA/DDS 67-1515

Approved For Release 2000/08/04 : CIA-RDP79-00639A000100100016-5

DISPATCH		CLASSIFICATION	PROCESSING ACTION
		S-E-C-R-E-T	
TO	All Stations and Bases	X	MARKED FOR INDEXING
INFO.			NO INDEXING REQUIRED
FROM	Chief, [REDACTED] 25X1A2d1		ONLY QUALIFIED DESK CAN JUDGE INDEXING
SUBJECT	Study of Materials and Methods to Reduce the Hazard of Flying Glass from Blast Shattered Windows		
ACTION REQUIRED - REFERENCES			
<p style="text-align: right;">FILE Dissem. 1</p> <p>1. Headquarters is in receipt of a copy of a detailed study on materials and methods to reduce the hazard of flying glass resulting from explosions. The purpose of this dispatch is to familiarize field activities with the findings of the study and also to stimulate action toward eliminating or minimizing this hazard.</p> <p>2. The study was in two phases; phase one being concerned with identifying commercially available products which advertised a degree of protection from the cited hazard, and phase two being concerned with field testing of selected samples or systems.</p> <p>3. The following pre-selection criteria were used in conjunction with phase one.</p> <ul style="list-style-type: none"> a. The material or method must not eliminate the functional purpose of the window. b. The material or method must be permanently in position and not rely upon manual activation. c. The material or method must be capable of practical installation. d. The resultant configuration should not unduly detract from the appearance of the building. <p>4. Phase two, the field testing program, rated materials and/or methods on:</p> <ul style="list-style-type: none"> a. Effectiveness in reducing or containing fragmentation. b. Approximate cost of materials and installation. c. General appearance and functionality of material or method. 			
CROSS REFERENCE TO	DISPATCH SYMBOL AND NUMBER	DATE	
	BOOK DISPATCH NO. 6127		
Approved For Release 2000/08/04 : CIA-RDP79-00639A000100100016-5			
S-E-C-R-E-T			

25X1A

Approved For Release 2000/08/04 : CIA-RDP79-00639A000100100016-5

Approved For Release 2000/08/04 : CIA-RDP79-00639A000100100016-5

CONTINUATION OF
DISPATCH


CLASSIFICATION

DISPATCH SYMBOL AND NUMBER

S-E-C-R-E-T

BOOK DISPATCH NO. 6127

25X1C



11. To assist headquarters in this undertaking, it is suggested as a first step that those stations and bases which are located in areas where civil disturbance and terrorist attacks are commonplace assess the space which is occupied by the station or base in terms of the subject threat. Vast expanses of windows at ground or first floor level or space closely adjacent to [REDACTED] structures are some of the items to note. Location in heavily congested commercial districts, existence of known terrorist organization, political instability and similar factors bear strongly in the assessment. This assessment should be submitted to headquarters through normal channels. In those instances where the threat is deemed both serious and imminent, headquarters will attempt immediate corrective action and provide guidance accordingly. In addition, headquarters will endeavor to provide support and guidance where such a threat exists but is assessed as marginal.

25X1A

12. The safety and protection of Organization personnel, in both office space and private residences, is of deep concern to headquarters. We urge you to inform headquarters, through your Division Chief, in the event a potential danger from flying glass exists at your station or base, so that whatever corrective action is called for and possible can be taken.

For the Chief, [REDACTED]

25X1A2d1

[REDACTED]

25X1A2e

ROUTING AND RECORD SHEET

SUBJECT: (Optional) Proposed Book Dispatch: "Study on Materials and Methods to Reduce the Hazard of Flying Glass from Blast Shattered Windows"

FROM:		EXTENSION	NO.
Director of Logistics 1227 Ames		2551	DATE SSA/DDJ 67-1499
TO: (Officer designation, room number, and building)	DATE		OFFICER'S INITIALS
	RECEIVED	FORWARDED	
1. Special Support Assistant to the DD/S 7D-18 Hqs		7/25/67	CND
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
13.			
14.			
15.			

SSA REGISTRY
FILE *Dugan-1*

file